VITRULUX

SMART POLE
MODULAR CONSTRUCTION



Select modules



M	1	Meteo	
T	1	Watch	
I	1	Information	
W	1	484xØ229xØ219 мм	
	2		
	3	Wi-Fi	
R	1	1041xØ219xØ219 мм	
	2	1569xØ223xØ219 мм	
	3	1669,5xØ229xØ219 ммGSM, 4G, 5G	
LS	1		
	2		
	3	Highway lighting	
LD	1		
	2	721,5xØ229xØ219 мм	
	3	Decorative lighting	
L	1	521,5xØ229xØ219 мм	
	2		
	3	Lighting modules up to 70	
A	1	721,5xØ229xØ219 мм	
	2	721,5xØ229xØ219 мм	
	3	Audio	
V	1	721,5xØ229xØ219 мм	
	2	721,5xØ229xØ219 мм	
	3	721,5xØ229xØ219 мм	
	4	CCTV	
Z	1		
	2		
	3	721,5xØ229xØ219 мм	
	4	Set of hight modules	
Pwr	1	Charging station	
P	1	3000xØ219x□426 мм	
	2	3000xØ219x□426 мм	
	3	3000xØ219x□426 мм	
			Base module
SAF	1		
	2		
	3		
			Small Architectural Forms

VITRULUX

MODULAR CONCEPT OF A SMART POLES BASED ON REQUIRED FUNCTIONS, WITH AN ABILITY OF CHANGING AND EXTENSION

Modular smart pole enables:

- conduct almost any combination of modules
- to change the number and type of modules according to required features set of the pole , even during operation
- perorfm for specific modules modernisation and repairs if required thorough the operation and exploitation.

Processing

VITRULUX

MODULES EQUIPMENT

Built in CCTV cameras

Main equipment



Wi-Fi 5 & 6

Other information and service devices

Radio equipment, (BTS, ADAS...) From macro cells to pico cells



VITRULUX

OPTION WITH LOCATION OF COMMUNICATION EQUIPMENT IN SMALL ARCHITECTURAL FORMS



Main nodes of construction